

IB-82T

Large screen 82" Inner Size 4:3

Honored: CEF©RoHS



Multi Touch Multi touch, support finger or opaque object to write



Environment-Friendly No chalk dust is generated, good for teacher and students' healthy




Finger Gesture Recognition Use finger gesture to zoom In, zoom out or erase contents, this make operations more simple



Nano Surface Strong, anti-damage and anti-glare.



Powerful Teaching Software The provided interactive software provide dozens of useful teaching tools for choice




Modular Design Easy for maintenance, problematic PCB boards can be easily pulled out and exchanged



82" 4:3 Interactive Whiteboard IB-82T

Total Area Size: 1703x 1190 mm Inside Size: 1651 x 1139 mm Total Area Diagonal Size: 81.8" Inner Diagonal Size: 78.9" Aspect Ratio: 4:3




Surface Material: Cold rolled steel surface, anti-damage, nano surface. Wick Material: High density polyfoam Back: Galvanized Steel Sheet






DRAW VIEW SOFTWARE

The Draw View software, used in conjunction with the Interactive Whiteboard, is a powerful and interactive tool, ideal for education and business applications. With the Interactive Whiteboard, users can perform many whiteboard functions, including handwriting, erasing, adding pages, inserting objects, recording, etc.



FINGER GESTURERECOGNITION

The Interactive Whiteboard supports Windows Gestures, also in the software, images can be easily moved, scaled and rotated with your fingers making presentations more interesting, dynamic and interactive. Meanwhile, in our software, we also develop below few gestures to make operations smarter.





TECHNICAL SPECIFICATIONS

Hardware Special Features	Gesture recognition
Technology	Infrared
Touch Point	10 touch
Cursor Speed	180 dot/s
Display ratio	4:3
Resolution	32767 x 32767
Positioning Accuracy	<2mm
Connecting Port	USB 2.0 USB 1.1 USB 3.0
View Angle	Horizontal 170°, vertical 160°
Operating System	Windows 2000, Windows XP, Windows Vista, Windows 7,
	Windows 8.1, Windows 10, Linux, Mac, Android
Power Supply	USB power supply DC 4.6V- 5.0V <1W (100mA at 5V)
Working Condition	Indoor or Outdoor
Storage	Temperature: -20°C~60°C Humidity: 0%~95%
Operation	Temperature: -10°C~45°C Humidity: 10%~90%
Installation	Wall mounted, cabinets, mobile stand (optional)

PHYSICAL SPECIFICATIONS

Model	IB-82T
Overall Size (mm)	1703x 1190x37.5mm
Overall Diagonal (inch)	84
Aspect Ratio	4:3
Board Weight (kg)	15±1KG
Gross Weight (kg)	28±2KG
Product Dimension (mm)	1703x 1190x37.5mm
Packed Size (mm)	1823x 1390 x 90 mm